ELSEVIER

Journal of Organometallic Chemistry 625 (2001) 269

Journal of Organometallic Chemistry

www.elsevier.nl/locate/jorganchem

Author Index of Volume 625

Abdul Malik, K.M., 112
Ahmad, I., 160
Albertin, G., 217
Albrecht, M., 77
Alkorta, I., 148
Antoniutti, S., 217
Avilés, T., 186

Back, S., 140
Baheti, K., 195
Bailey, P.J., 236
Barrett, T., 236
Bates, T.F., 13
Beari, F., 208
Bordignon, E., 217
Bosque, R., 67
Brand, M., 208
Buffon, R., 101

Calhorda, M.J., 186
Caporali, M., 255
Chandrasekaran, A., 95
Chang, L.-S., 173
Cheng, C.-H., 173
Chiang, M.Y., 173
Chien, J.C.W., 95
Citeau, H.A.S., 23

Dal Colle, M., 121
Dandekar, S.A., 13
Davis, P., 195
De Silva, R.M., 245
Devescovi, A., 255
Dinis, A., 186
Distefano, G., 121
Dockter, D.W., 154
Dong, N.-l., 128
Dong, T.-Y., 173
Drew, M.G.B., 186
Dymák, M., 86

Edelmann, F.T., 1
Elguero, J., 148

Fahey, D.R., 154
Falck-Pedersen, M.L., 160
Farrell, T., 32
Félix, V., 186
Filho, R.R., 121
Filho, U.P.R., 101
Fischer, A., 1
Font-Bardia, M., 67
Frediani, P., 255
Frosch, W., 140
Fruchier, A., 148

Ghandi, M., 108
Giolando, D.M., 23
Guan, D.-p., 128

Halterman, R.L., 154
Heck, J., 32
Henderson, W., 40
Herber, R.H., 200
Holeček, J., 86

Ishii, T., 133
Ishiyama, T., 47

Jenkner, P., 208
Johns, C.A., 112
Jones, D., 121
Jutzi, P., 180

Kabir, S.E., 112
Khan, M.A., 154
Kitagawa, S., 133
Kondo, M., 133
Kurosawa, H., 54

Lang, H., 140
Lébl, T., 86
Lee, L., 173
Lehnert, R., 208
Leong, W.K., 231
Liang, Y.-m., 128
Liu, W.-y., 128
Longlet, J.J., 13
López, C., 67
Lorenz, V., 1
Lutz, M., 58

Ma, Y.-x., 128
Macquarrie, D.J., 148
Malessa, M., 32
Manning, A.R., 32
Marin, V.P., 154
Matsubayashi, G.-e., 7
Matsuzaka, H., 133
Mays, M.J., 245
Metternich, H.J., 208
Meyer-Friedrichsen, T., 32
Miyaura, N., 47
Mol, J.C., 58
Monkiewicz, J., 208
Mottalib, M.A., 112
Müller, C., 180
Murahashi, T., 54
Murugavel, R., 195

Nakano, M., 7
Neumann, B., 180
Nicholson, B.K., 40
Nieczypor, P., 58
Nishida, T., 54

Ogoshi, S., 54
Okimura, H., 133
Olivato, P.R., 121
Oliver, A.G., 40

Parsons, S., 236
Pérez, S., 67
Perinello, G., 217
Piacenti, F., 255
Pinto, P., 186

Raithby, P.R., 245
Rausch, M.D., 95
Rhodes, B., 95
Rickard, C.E.F., 40, 77
Roper, W.R., 77
Rosenberg, E., 112

Saito, K., 7
Salvini, A., 255
Sato, Y., 133
Schottenberger, H., 200
Shahidzadeh, M., 108
Shete, V.S., 195
Shiro, M.-o., 133
Siesler, H.W., 208
Solan, G.A., 245
Solans, X., 67
Spek, A.L., 58
Spoida, M., 1
Stammler, H.-G., 180
Steinborn, D., 86

Takahashi, K., 47
Tamura, H., 7
Tay, C.T., 231
Thomas, R.D., 13

Undheim, K., 160

van Leeuwen, P.W.N.M., 58
Virgili, A., 148

Watanabe, S., 54
Williamson, A., 77
Wittenburg, C., 32
Wolke, S.I., 101
Wood, J.S., 95
Woodgate, S.D., 77
Wright, L.J., 77
Wurst, K., 200

Xu, Q.-h., 128

Yamasaki, M., 133
Yamashita, M., 133
Yoshida, T., 54

PII: S0022-328X(01)00771-9

ELSEVIER

Journal of Organometallic Chemistry 625 (2001) 271–275

Journal of Organometallic Chemistry

www.elsevier.nl/locate/jorganchem

Subject Index of Volume 625

Ab initio calculations
UV photoelectron and ab initio study of intramolecular interactions in α-diethoxyphosphoryl carbonyl derivatives, 121
Acetylenes
X-ray structural and Mössbauer spectroscopic investigation of terminal ethynylmetallocenium salts, 200
Acyl chlorides
C–C-bond formation in reactions of $[(\eta^5\text{-}C_5H_4SiMe_3)_2\text{-}Ti(C{\equiv}CR^1)_2]CuR$ with acyl chlorides and anhydrides, 140
Alkenes
Synthesis, structure, and metathesis activity of ruthenium carbene complexes containing diphosphines, 58
Alkoxysilanes
α-Lithioalkoxysilanes: applications to alkene synthesis, 13
Organofunctional alkoxysilanes in dilute aqueous solution: new accounts on the dynamic structural mutability, 208
Alkynes
A borylcopper species generated from bis(pinacolato)diboron and its additions to α,β-unsaturated carbonyl compounds and terminal alkynes, 47
Anaerobic reaction
Alkyl hex-1-ynyl tellurides: Syntheses and multinuclear NMR (^{125}Te-, $^{13}C\{^1H\}$-, ^{1}H-) studies, 23
Anhydrides
C–C-bond formation in reactions of $[(\eta^5\text{-}C_5H_4SiMe_3)_2\text{-}Ti(C{\equiv}CR^1)_2]CuR$ with acyl chlorides and anhydrides, 140
ansa-Metallocenes
Dialkylaminoethyl-functionalized *ansa*-zirconocene dichlorides: synthesis, structure, and polymerization properties, 180
Argon
Isomerization of olefins by phosphine-substituted ruthenium complexes and influence of an 'additional gas' on the reaction rate, 255
Arsenic
The thermolysis products of $Os_3(CO)_{11}(AsPh_3)$, 231
Arsine
Fragmentation of a As_4Ph_4-chain on a tetranuclear cobalt cluster induced by thermolysis or by reaction with $Fe_2(CO)_9$, 245
Aryl complexes
Syntheses and reactions of coordinatively unsaturated silyl, aryl osmium(II) complexes and the crystal structures of $Os[Si(OEt)_3]R(CO)(PPh_3)_2$ and $Os[Si(OEt)_3]R(CO)_2(PPh_3)_2$ (R = phenyl or *o*-tolyl), 77
Arylethynyl
Synthesis, structure and reactivities of the dinuclear $\mu\text{-}\eta^1{:}\eta^6$-arylethynyl ruthenium complexes $[Cp(PR_3)_2Ru(\mu\text{-}\eta^1{:}\eta^6\text{-}C{\equiv}CC_6H_4Me\text{-}p)RuCp^*]\cdot Cl$ (R = Ph, Me; Cp = η^5-C_5H_5, Cp* = η^5-C_5Me_5). The molecular structure of $[Cp(PPh_3)_2Ru(\mu\text{-}\eta^1{:}\eta^6\text{-}C{\equiv}CC_6H_4Me\text{-}p)RuCp^*]\cdot PF_6$, 133

Benzoquinone
Evidence for single electron transfer (SET) pathway in the reaction of primary alkylcadmium reagents with *p*-benzoquinone, 108

Carbene complexes
Synthesis, structure, and metathesis activity of ruthenium carbene complexes containing diphosphines, 58
Carbonyl
Reactivity of the unsaturated triosmium cluster $[(\mu\text{-}H)Os_3(CO)_8\{Ph_2PCH_2P(Ph)C_6H_4\}]$ with dithiols; X-ray structures of $[Os_3(CO)_8(\mu\text{-}SCH_2CH_2CH_2S)(Ph_2PCH_2PPh_2)]\cdot 1/2CH_2Cl_2$ and $[(\mu\text{-}H)Os_3(CO)_7(\mu_3\text{-}\eta^3\text{-}SCH_2CH_2CHS)(Ph_2PCH_2PPh_2)]\cdot 1/2H_2O$, 112
Catalysts
Synthesis, structure, and metathesis activity of ruthenium carbene complexes containing diphosphines, 58
C–C-bond formation
C–C-bond formation in reactions of $[(\eta^5\text{-}C_5H_4SiMe_3)_2\text{-}Ti(C{\equiv}CR^1)_2]CuR$ with acyl chlorides and anhydrides, 140
Chain
Fragmentation of a As_4Ph_4-chain on a tetranuclear cobalt cluster induced by thermolysis or by reaction with $Fe_2(CO)_9$, 245
Chiral metallocene
Synthesis, characterization and polymerization properties of isopropylidene(η^5-3-neomenthylcyclopentadienyl)(η^5-fluorenyl)zirconium dichloride, 154
Cluster
Fragmentation of a As_4Ph_4-chain on a tetranuclear cobalt cluster induced by thermolysis or by reaction with $Fe_2(CO)_9$, 245
Clusters
The thermolysis products of $Os_3(CO)_{11}(AsPh_3)$, 231
Cobalt
Fragmentation of a As_4Ph_4-chain on a tetranuclear cobalt cluster induced by thermolysis or by reaction with $Fe_2(CO)_9$, 245
Co(III) complexes
Synthesis, X-ray structure, and theoretical studies of novel cationic mono-cyclopentadienyl complexes of Co(III): the orthometalation of *trans*-azobenzene, 186
Condensation
Organofunctional alkoxysilanes in dilute aqueous solution: new accounts on the dynamic structural mutability, 208
Conformational analysis
UV photoelectron and ab initio study of intramolecular interactions in α-diethoxyphosphoryl carbonyl derivatives, 121
Conjugate addition
A borylcopper species generated from bis(pinacolato)diboron and its additions to α,β-unsaturated carbonyl compounds and terminal alkynes, 47
Copper
C–C-bond formation in reactions of $[(\eta^5\text{-}C_5H_4SiMe_3)_2\text{-}Ti(C{\equiv}CR^1)_2]CuR$ with acyl chlorides and anhydrides, 140
Copper halides
A borylcopper species generated from bis(pinacolato)diboron and its additions to α,β-unsaturated carbonyl compounds and terminal alkynes, 47
Cryptand
Complexation behavior of 1,1″:1′,1‴-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-diyldimethyl)bisferrocene: structural determination, NMR, ^{57}Fe Mössbauer and electrochemical measurements, 173
Crystal structures
Dimeric rhodium(III), iridium(III) and ruthenium(II) thiosalicylate complexes, 40

PII: S0022-328X(01)00772-0

Reactivity of the unsaturated triosmium cluster [(μ-H)$Os_3(CO)_8${$Ph_2PCH_2P(Ph)C_6H_4$}] with dithiols; X-ray structures of [$Os_3(CO)_8$(μ-$SCH_2CH_2CH_2S$)($Ph_2PCH_2PPh_2$)]·1/2CH_2Cl_2 and [(μ-H)$Os_3(CO)_7$(μ_3-η^3-SCH_2CH_2CHS)($Ph_2PCH_2PPh_2$)]·1/2H_2O, 112

Cyclopalladates
Trans-influences in mononuclear cyclopalladated compounds containing a σ(Pd–C_{sp2}, ferrocene) bond. X-ray crystal structures of [Pd{[(η^5-C_5H_3)–CH=N–CH_2–C_6H_5]Fe(η^5-C_5H_5)}(X)(PPh_3)] with $X^- = Br^-$ and I^-, 67

Cyclopentadienyl
Synthesis, characterization and polymerization properties of isopropylidene(η^5-3-neomenthylcyclopentadienyl)(η^5-fluorenyl)zirconium dichloride, 154

Cyclopentadienyl complexes
A novel cyclic titanasiloxane derived from [$Ph_2Si(OH)]_2O$: synthesis and crystal structure of [Cp*Ti(Cl)($OSiPh_2OSiPh_2OSiPh_2O$)], 195

Deshielded resonances
Alkyl hex-1-ynyl tellurides: Syntheses and multinuclear NMR (^{125}Te-, $^{13}C\{^1H\}$-, ^{1}H-) studies, 23

Destannylation
Synthesis and destannylation of η^3-1-stannylallylpalladium(II) complexes, 54

DFT calculations
Synthesis, X-ray structure, and theoretical studies of novel cationic mono-cyclopentadienyl complexes of Co(III): the orthometalation of *trans*-azobenzene, 186

Diazene
Preparation of new 'diazo' complexes of manganese stabilised by phosphite ligands, 217

Diazenido
Preparation of new 'diazo' complexes of manganese stabilised by phosphite ligands, 217

Diborons
A borylcopper species generated from bis(pinacolato)diboron and its additions to α,β-unsaturated carbonyl compounds and terminal alkynes, 47

Dicyanovinyl
Synthesis and long wavelength hyper-Rayleigh scattering measurements of extended μ-vinylidene di-iron donor based organometallic merocyanines, 32

Dinuclear complexes
Synthesis, structure and reactivities of the dinuclear μ-η^1:η^6-arylethynyl ruthenium complexes [$Cp(PR_3)_2Ru$(μ-η^1:η^6-C≡CC_6H_4Me-*p*)RuCp*]·Cl (R = Ph, Me; Cp = η^5-C_5H_5, Cp* = η^5-C_5Me_5). The molecular structure of [$Cp(PPh_3)_2Ru$(μ-η^1:η^6-C≡CC_6H_4Me-*p*)RuCp*]·PF_6, 133

Dinuclear compounds
Preparation of new 'diazo' complexes of manganese stabilised by phosphite ligands, 217

Diphosphines
Synthesis, structure, and metathesis activity of ruthenium carbene complexes containing diphosphines, 58

Dithiolate
Reactivity of the unsaturated triosmium cluster [(μ-H)$Os_3(CO)_8${$Ph_2PCH_2P(Ph)C_6H_4$}] with dithiols; X-ray structures of [$Os_3(CO)_8$(μ-$SCH_2CH_2CH_2S$)($Ph_2PCH_2PPh_2$)]·1/2CH_2Cl_2 and [(μ-H)$Os_3(CO)_7$(μ_3-η^3-SCH_2CH_2CHS)($Ph_2PCH_2PPh_2$)]·1/2H_2O, 112

Dithiolate complexes
η^5-C_5H_5- and η^5-C_5Me_5-metal complexes (M = Zr(IV) and Hf(IV)) with the sulfur-rich dithiolate $C_8H_4S_8$ ligand and high electrical conductivities of their oxidized species, 7

Electrical conductivity
η^5-C_5H_5- and η^5-C_5Me_5-metal complexes (M = Zr(IV) and Hf(IV)) with the sulfur-rich dithiolate $C_8H_4S_8$ ligand and high electrical conductivities of their oxidized species, 7

Electronic structures
UV photoelectron and ab initio study of intramolecular interactions in α-diethoxyphosphoryl carbonyl derivatives, 121

Electrospray mass spectrometry
Dimeric rhodium(III), iridium(III) and ruthenium(II) thiosalicylate complexes, 40

Ethylene
Synthesis of titanium(IV) complexes containing 2,6-dimethylaniline substituted amino alcohols and their utilization in ethylene polymerizations, 95

Ethynyl-metallocenes
X-ray structural and Mössbauer spectroscopic investigation of terminal ethynylmetallocenium salts, 200

Exocyclic alkenes
α-Lithioalkoxysilanes: applications to alkene synthesis, 13

Ferrocene
Complexation behavior of 1,1″:1′,1‴-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-diyldimethyl)bisferrocene: structural determination, NMR, ^{57}Fe Mössbauer and electrochemical measurements, 173
Trans-influences in mononuclear cyclopalladated compounds containing a σ(Pd–C_{sp2}, ferrocene) bond. X-ray crystal structures of [Pd{[(η^5-C_5H_3)–CH=N–CH_2–C_6H_5]Fe(η^5-C_5H_5)}(X)(PPh_3)] with $X^- = Br^-$ and I^-, 67

Ferrocenylethene derivative
Solvent-free synthesis of ferrocenylethene derivatives, 128

Fluorenyl
Synthesis, characterization and polymerization properties of isopropylidene(η^5-3-neomenthylcyclopentadienyl)(η^5-fluorenyl)zirconium dichloride, 154

Fragmentation
Fragmentation of a As_4Ph_4-chain on a tetranuclear cobalt cluster induced by thermolysis or by reaction with $Fe_2(CO)_9$, 245

Fulvene
Synthesis, characterization and polymerization properties of isopropylidene(η^5-3-neomenthylcyclopentadienyl)(η^5-fluorenyl)zirconium dichloride, 154

Functionalised vinylstannanes
Synthesis, characterisation and reactivity of 2-functionalised vinylstannanes, 86

GIAO calculations
Aminopropylsilanes versus silatranes: an experimental and theoretical study, 148

Hafnium complexes
η^5-C_5H_5- and η^5-C_5Me_5-metal complexes (M = Zr(IV) and Hf(IV)) with the sulfur-rich dithiolate $C_8H_4S_8$ ligand and high electrical conductivities of their oxidized species, 7

Hydrazine
Preparation of new 'diazo' complexes of manganese stabilised by phosphite ligands, 217

Hydrolysis
Organofunctional alkoxysilanes in dilute aqueous solution: new accounts on the dynamic structural mutability, 208

Hydrostannylation
Synthesis, characterisation and reactivity of 2-functionalised vinylstannanes, 86

Iodovinylidene
Synthesis, structure and reactivities of the dinuclear μ-η^1:η^6-arylethynyl ruthenium complexes [$Cp(PR_3)_2Ru$(μ-η^1:η^6-C≡CC_6H_4Me-*p*)RuCp*]·Cl (R = Ph, Me; Cp = η^5-C_5H_5

$Cp^* = \eta^5$-C_5Me_5). The molecular structure of $[Cp(PPh_3)_2Ru(\mu\text{-}\eta^1\text{:}\eta^6\text{-}C{\equiv}CC_6H_4Me\text{-}p)RuCp^*]\cdot PF_6$, 133
Iridium
Dimeric rhodium(III), iridium(III) and ruthenium(II) thiosalicylate complexes, 40
Isomerization
Isomerization of olefins by phosphine-substituted ruthenium complexes and influence of an 'additional gas' on the reaction rate, 255

Kinetics
Synthesis, characterisation and reactivity of 2-functionalised vinylstannanes, 86

Lithiation
Lithiation studies of $[PhP(CH_2Ph)_3]Cl$; X-ray crystal structure of the phosphoniodiylide $[(TMEDA)Li(PhCH)_2PPh(CH_2Ph)]$ and its rhodium and chromium complexes, 236
α-Lithiosilanes
α-Lithioalkoxysilanes: applications to alkene synthesis, 13
Lithium hex-1-ynyl tellurolate
Alkyl hex-1-ynyl tellurides: Syntheses and multinuclear NMR (^{125}Te-, $^{13}C\{^1H\}$-, ^{1}H-) studies, 23
Long wavelength hyper-Rayleigh scattering (HRS)
Synthesis and long wavelength hyper-Rayleigh scattering measurements of extended μ-vinylidene di-iron donor based organometallic merocyanines, 32

Manganese
Preparation of new 'diazo' complexes of manganese stabilised by phosphite ligands, 217
MAO
Dialkylaminoethyl-functionalized *ansa*-zirconocene dichlorides: synthesis, structure, and polymerization properties, 180
Merocyanine
Synthesis and long wavelength hyper-Rayleigh scattering measurements of extended μ-vinylidene di-iron donor based organometallic merocyanines, 32
Metal atom motion
X-ray structural and Mössbauer spectroscopic investigation of terminal ethynylmetallocenium salts, 200
Metallocene
Complexation behavior of 1,1″:1′,1‴-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-diyldimethyl)bisferrocene: structural determination, NMR, ^{57}Fe Mössbauer and electrochemical measurements, 173
Metallocene catalyzed polymerization
Synthesis, characterization and polymerization properties of isopropylidene(η^5-3-neomenthylcyclopentadienyl)(η^5-fluorenyl)zirconium dichloride, 154
Metathesis
Synthesis, structure, and metathesis activity of ruthenium carbene complexes containing diphosphines, 58
Mössbauer
Complexation behavior of 1,1″:1′,1‴-bis(1,4,10,13-tetraoxa-7,16-diazacyclooctadecane-7,16-diyldimethyl)bisferrocene: structural determination, NMR, ^{57}Fe Mössbauer and electrochemical measurements, 173
Mössbauer spectroscopy
X-ray structural and Mössbauer spectroscopic investigation of terminal ethynylmetallocenium salts, 200
Neomenthylcyclopentadienyl
Synthesis, characterization and polymerization properties of isopropylidene(η^5-3-neomenthylcyclopentadienyl)(η^5-fluorenyl)zirconium dichloride, 154
Nitrogen
Isomerization of olefins by phosphine-substituted ruthenium complexes and influence of an 'additional gas' on the reaction rate, 255
N-Ligands
Dialkylaminoethyl-functionalized *ansa*-zirconocene dichlorides: synthesis, structure, and polymerization properties, 180
NMR
Synthesis, characterisation and reactivity of 2-functionalised vinylstannanes, 86
^{15}N-NMR
Aminopropylsilanes versus silatranes: an experimental and theoretical study, 148
Non-cyclopentadenyl
Synthesis of titanium(IV) complexes containing 2,6-dimethylaniline substituted amino alcohols and their utilization in ethylene polymerizations, 95
Nonlinear optics (NLO)
Synthesis and long wavelength hyper-Rayleigh scattering measurements of extended μ-vinylidene di-iron donor based organometallic merocyanines, 32

Olefin
Isomerization of olefins by phosphine-substituted ruthenium complexes and influence of an 'additional gas' on the reaction rate, 255
Organocadmium
Evidence for single electron transfer (SET) pathway in the reaction of primary alkylcadmium reagents with *p*-benzoquinone, 108
Organometallic
Synthesis and long wavelength hyper-Rayleigh scattering measurements of extended μ-vinylidene di-iron donor based organometallic merocyanines, 32
Organometallic tweezer
C–C-bond formation in reactions of $[(\eta^5\text{-}C_5H_4SiMe_3)_2\text{-}Ti(C{\equiv}CR^1)_2]CuR$ with acyl chlorides and anhydrides, 140
Orthometallation
Synthesis, X-ray structure, and theoretical studies of novel cationic mono-cyclopentadienyl complexes of Co(III): the orthometalation of *trans*-azobenzene, 186
Osmium
Reactivity of the unsaturated triosmium cluster $[(\mu\text{-}H)Os_3(CO)_8\{Ph_2PCH_2P(Ph)C_6H_4\}]$ with dithiols; X-ray structures of $[Os_3(CO)_8(\mu\text{-}SCH_2CH_2CH_2S)(Ph_2PCH_2\text{-}PPh_2)]\cdot 1/2CH_2Cl_2$ and $[(\mu\text{-}H)Os_3(CO)_7(\mu_3\text{-}\eta^3\text{-}SCH_2CH_2\text{-}CHS)(Ph_2PCH_2PPh_2)]\cdot 1/2H_2O$, 112
Syntheses and reactions of coordinatively unsaturated silyl, aryl osmium(II) complexes and the crystal structures of $Os[Si(OEt)_3]R(CO)(PPh_3)_2$ and $Os[Si(OEt)_3]R(CO)_2(PPh_3)_2$ (R = phenyl or *o*-tolyl), 77
The thermolysis products of $Os_3(CO)_{11}(AsPh_3)$, 231

Pentamethylcyclopentadienyl
Lithiation studies of $[PhP(CH_2Ph)_3]Cl$; X-ray crystal structure of the phosphoniodiylide $[(TMEDA)Li(PhCH)_2PPh(CH_2Ph)]$ and its rhodium and chromium complexes, 236
Pentamethylcyclopentadienyl complexes
η^5-C_5H_5- and η^5-C_5Me_5-metal complexes (M = Zr(IV) and Hf(IV)) with the sulfur-rich dithiolate $C_8H_4S_8$ ligand and high electrical conductivities of their oxidized species, 7
Peterson olefination
α-Lithioalkoxysilanes: applications to alkene synthesis, 13

Phosphine
Reactivity of the unsaturated triosmium cluster [(μ-H)-$Os_3(CO)_8\{Ph_2PCH_2P(Ph)C_6H_4\}$] with dithiols; X-ray structures of $[Os_3(CO)_8(\mu\text{-}SCH_2CH_2CH_2S)(Ph_2PCH_2PPh_2)]\cdot 1/2CH_2Cl_2$ and $[(\mu\text{-}H)Os_3(CO)_7(\mu_3\text{-}\eta^3\text{-}SCH_2CH_2CHS)(Ph_2PCH_2PPh_2)]\cdot 1/2H_2O$, 112
Phosphoniodiylide
Lithiation studies of $[PhP(CH_2Ph)_3]Cl$; X-ray crystal structure of the phosphoniodiylide $[(TMEDA)Li(PhCH)_2PPh(CH_2Ph)]$ and its rhodium and chromium complexes, 236
Photoelectron spectroscopy
UV photoelectron and ab initio study of intramolecular interactions in α-diethoxyphosphoryl carbonyl derivatives, 121
Polymerization
Dialkylaminoethyl-functionalized *ansa*-zirconocene dichlorides: synthesis, structure, and polymerization properties, 180
Synthesis of titanium(IV) complexes containing 2,6-dimethylaniline substituted amino alcohols and their utilization in ethylene polymerizations, 95
Polypropylene
Synthesis, characterization and polymerization properties of isopropylidene(η^5-3-neomenthylcyclopentadienyl)(η^5-fluorenyl)zirconium dichloride, 154
Protodestannylation
Synthesis, characterisation and reactivity of 2-functionalised vinylstannanes, 86

Reaction rates
Organofunctional alkoxysilanes in dilute aqueous solution: new accounts on the dynamic structural mutability, 208
Rhodium
Dimeric rhodium(III), iridium(III) and ruthenium(II) thiosalicylate complexes, 40
Ru(II)-ring-closing metathesis
Synthesis of silacycloalkenes and silaspirenes by Ru(II)-catalyzed ring-closing metathesis reactions, 160
Ruthenium
Dimeric rhodium(III), iridium(III) and ruthenium(II) thiosalicylate complexes, 40
Isomerization of olefins by phosphine-substituted ruthenium complexes and influence of an 'additional gas' on the reaction rate, 255
Synthesis, structure, and metathesis activity of ruthenium carbene complexes containing diphosphines, 58
Synthesis, structure and reactivities of the dinuclear $\mu\text{-}\eta^1\text{:}\eta^6$-arylethynyl ruthenium complexes $[Cp(PR_3)_2Ru(\mu\text{-}\eta^1\text{:}\eta^6\text{-}C{\equiv}CC_6H_4Me\text{-}p)RuCp^*]\cdot Cl$ (R = Ph, Me; Cp = η^5-C_5H_5, Cp* = η^5-C_5Me_5). The molecular structure of $[Cp(PPh_3)_2Ru(\mu\text{-}\eta^1\text{:}\eta^6\text{-}C{\equiv}CC_6H_4Me\text{-}p)RuCp^*]\cdot PF_6$, 133
Semiemperical theory
Trans-influences in mononuclear cyclopalladated compounds containing a σ(Pd–C_{sp^2}, ferrocene) bond. X-ray crystal structures of $[Pd\{[(\eta^5\text{-}C_5H_3)\text{–}CH{=}N\text{–}CH_2\text{–}C_6H_5]\text{-}Fe(\eta^5\text{-}C_5H_5)\}(X)(PPh_3)]$ with $X^- = Br^-$ and I^-, 67
Silacycloalkenes
Synthesis of silacycloalkenes and silaspirenes by Ru(II)-catalyzed ring-closing metathesis reactions, 160
Silanes
Aminopropylsilanes versus silatranes: an experimental and theoretical study, 148
Silanols
A novel cyclic titanasiloxane derived from $[Ph_2Si(OH)]_2O$: synthesis and crystal structure of $[Cp^*Ti(Cl)(OSiPh_2OSiPh_2\text{-}OSiPh_2O)]$, 195
Silatranes
Aminopropylsilanes versus silatranes: an experimental and theoretical study, 148
Silica
Surface organometallic chemistry of vanadium(V): reactivity of $(Bu^tN{=})VNp_3$ towards silica, 101
Siloxanes
Organofunctional alkoxysilanes in dilute aqueous solution: new accounts on the dynamic structural mutability, 208
Siloxides
A novel cyclic titanasiloxane derived from $[Ph_2Si(OH)]_2O$: synthesis and crystal structure of $[Cp^*Ti(Cl)(OSiPh_2OSiPh_2\text{-}OSiPh_2O)]$, 195
Silsesquioxanes
Silsesquioxane chemistry: Part 5. New silyl-functionalized silsesquioxanes, 1
Silylation
Silsesquioxane chemistry: Part 5. New silyl-functionalized silsesquioxanes, 1
Silyl complexes
Syntheses and reactions of coordinatively unsaturated silyl, aryl osmium(II) complexes and the crystal structures of $Os[Si(OEt)_3]R(CO)(PPh_3)_2$ and $Os[Si(OEt)_3]R(CO)_2(PPh_3)_2$ (R = phenyl or *o*-tolyl), 77
Single electron transfer
Evidence for single electron transfer (SET) pathway in the reaction of primary alkylcadmium reagents with *p*-benzoquinone, 108
^{29}Si-NMR
Aminopropylsilanes versus silatranes: an experimental and theoretical study, 148
Solvatochromism
Synthesis and long wavelength hyper-Rayleigh scattering measurements of extended μ-vinylidene di-iron donor based organometallic merocyanines, 32
Solvent-free reaction
Solvent-free synthesis of ferrocenylethene derivatives, 128
Spiroannulation
Synthesis of silacycloalkenes and silaspirenes by Ru(II)-catalyzed ring-closing metathesis reactions, 160
η^3-1-Stannylallylpalladium(II) complexes
Synthesis and destannylation of η^3-1-stannylallylpalladium(II) complexes, 54
Surface organometallic chemistry
Surface organometallic chemistry of vanadium(V): reactivity of $(Bu^tN{=})VNp_3$ towards silica, 101
Synthesis
Synthesis of silacycloalkenes and silaspirenes by Ru(II)-catalyzed ring-closing metathesis reactions, 160

Terminal alkenes
α-Lithioalkoxysilanes: applications to alkene synthesis, 13
Thiosalicylate
Dimeric rhodium(III), iridium(III) and ruthenium(II) thiosalicylate complexes, 40
Titanasiloxanes
A novel cyclic titanasiloxane derived from $[Ph_2Si(OH)]_2O$: synthesis and crystal structure of $[Cp^*Ti(Cl)(OSiPh_2OSiPh_2\text{-}OSiPh_2O)]$, 195
Titanium
C–C-bond formation in reactions of $[(\eta^5\text{-}C_5H_4SiMe_3)_2Ti(C{\equiv}CR^1)_2]CuR$ with acyl chlorides and anhydrides, 140
Synthesis of titanium(IV) complexes containing 2,6-dimethylaniline substituted amino alcohols and their utilization in ethylene polymerizations, 95

Titanium complexes
η^5-C_5H_5- and η^5-C_5Me_5-metal complexes (M = Zr(IV) and Hf(IV)) with the sulfur-rich dithiolate $C_8H_4S_8$ ligand and high electrical conductivities of their oxidized species, 7
Trans-influence
Trans-influences in mononuclear cyclopalladated compounds containing a $\sigma(Pd-C_{sp^2}$, ferrocene) bond. X-ray crystal structures of $[Pd\{[(\eta^5\text{-}C_5H_3)-CH=N-CH_2-C_6H_5]\text{-}Fe(\eta^5\text{-}C_5H_5)\}(X)(PPh_3)]$ with $X^- = Br^-$ and I^-, 67

Vanadium(V)
Surface organometallic chemistry of vanadium(V): reactivity of $(Bu^tN=)VNp_3$ towards silica, 101
Vinylidene
Synthesis, structure and reactivities of the dinuclear μ-η^1:η^6-arylethynyl ruthenium complexes $[Cp(PR_3)_2Ru(\mu\text{-}\eta^1{:}\eta^6\text{-}C{\equiv}CC_6H_4Me\text{-}p)RuCp^*]\cdot Cl$ (R = Ph, Me; Cp = η^5-C_5H_5, Cp* = η^5-C_5Me_5). The molecular structure of $[Cp(PPh_3)_2\text{-}Ru(\mu\text{-}\eta^1{:}\eta^6\text{-}C{\equiv}CC_6H_4Me\text{-}p)RuCp^*]\cdot PF_6$, 133
Vinylsilanes
α-Lithioalkoxysilanes: applications to alkene synthesis, 13
Silsesquioxane chemistry: Part 5. New silyl-functionalized silsesquioxanes, 1

Wittig reaction
Solvent-free synthesis of ferrocenylethene derivatives, 128

Xenon
Isomerization of olefins by phosphine-substituted ruthenium complexes and influence of an 'additional gas' on the reaction rate, 255
X-ray crystal structures
Lithiation studies of $[PhP(CH_2Ph)_3]Cl$; X-ray crystal structure of the phosphoniodiylide $[(TMEDA)Li(PhCH)_2PPh(CH_2Ph)]$ and its rhodium and chromium complexes, 236
Syntheses and reactions of coordinatively unsaturated silyl, aryl osmium(II) complexes and the crystal structures of $Os[Si(OEt)_3]R(CO)(PPh_3)_2$ and $Os[Si(OEt)_3]R(CO)_2(PPh_3)_2$ (R = phenyl or *o*-tolyl), 77
Synthesis, structure and reactivities of the dinuclear μ-η^1:η^6-arylethynyl ruthenium complexes $[Cp(PR_3)_2Ru(\mu\text{-}\eta^1{:}\eta^6\text{-}C{\equiv}CC_6H_4Me\text{-}p)RuCp^*]\cdot Cl$ (R = Ph, Me; Cp = η^5-C_5H_5, Cp* = η^5-C_5Me_5). The molecular structure of $[Cp(PPh_3)_2Ru(\mu\text{-}\eta^1{:}\eta^6\text{-}C{\equiv}CC_6H_4Me\text{-}p)RuCp^*]\cdot PF_6$, 133
X-ray structure
Silsesquioxane chemistry: Part 5. New silyl-functionalized silsesquioxanes, 1
X-ray structural and Mössbauer spectroscopic investigation of terminal ethynylmetallocenium salts, 200
X-ray structures
Synthesis, X-ray structure, and theoretical studies of novel cationic mono-cyclopentadienyl complexes of Co(III): the orthometalation of *trans*-azobenzene, 186

Z,*E*-separation
Solvent-free synthesis of ferrocenylethene derivatives, 128
Zirconium
Dialkylaminoethyl-functionalized *ansa*-zirconocene dichlorides: synthesis, structure, and polymerization properties, 180
Zirconium complexes
η^5-C_5H_5- and η^5-C_5Me_5-metal complexes (M = Zr(IV) and Hf(IV)) with the sulfur-rich dithiolate $C_8H_4S_8$ ligand and high electrical conductivities of their oxidized species, 7
Zirconocene dichloride
Synthesis, characterization and polymerization properties of isopropylidene(η^5 - 3 - neomenthylcyclopentadienyl)(η^5 - fluorenyl)zirconium dichloride, 154